



two basic types:

(A)a. Double skin. Similar to a single skin, but with an attached liner that is separated from the outer skin and provides an airspace which serves for insulation.

(B)b. Single skin. Where there is only the single outer skin and the air pressure is directly against that skin.

(3)c. Membrane Structure. An air-inflated, air-supported, cable or frame-covered structure as defined by the Minnesota Building Code and not otherwise defined as a tent.

(4)d. Tent. A structure, enclosure or shelter, with or without sidewalls or drops, constructed of fabric or pliable material supported by any manner except by air or the contents that it protects.

(b)e. All tents and membrane structures shall comply with Chapter 31 of the Minnesota State Fire Code and this code.

(c)f. Tents and membrane structures having an area in excess of 400 square feet shall not be erected, operated or maintained for any purpose without first obtaining a permit and approval from the fire marshal.

(d)g. Permit applications shall be made on a form created and provided by the fire marshal. The fire marshal may require an on-site inspection.

(e)h. No smoking shall be allowed in any temporary membrane structure or tent.

Section 3. That this ordinance shall take effect and be in force 30 days from and after its passage and publication.

STATEMENT OF PURPOSE: This ordinance amends Chapter 21, Article I, Section 21-5 and Section 21-8 of the Duluth City Code to update references no longer in existence in state statute and clarify penalties for unauthorized burning.